

www.vegatrailer.com

VEGA  TRAILER

**PRODUCT
CATALOGUE**



INTRODUCTION

Vega Trailer is European leading manufacturing company of semi-trailers and special trailers for the special haulage industry. Our special trailers are distributed through international network of trailer dealers in Europe, Africa and worldwide.

We provide all the documents required for the registration of our trailers in Europe and international markets.

ABOUT US

VEGA TRAILER is professional and leading semi-trailer manufacturing company which was established since 1982 as a family company.

Since its inception, we are engaged to manufacture the variety products of quality like a notion work principle. With 7000 m² of production buildings, we produce the best quality and long-lasting products. We are making our products more quality and more technological with R & D works.

With our factory brands such as VEGA TRAILER and Özsan Trailer, we manufacture all type of Lowbed Semi-trailer, Tipper Trailer, Huge Dumper, Truck Tipper, Platform Trailer, Container Carrier, Dolly Trailer, Car Carrier Trailer, Tractor & Cabin Carrier, Truck Carrier Trailer and Chassis.

We manufacture very accurate technological conditions for each product with different workmanship.

Our company is customer-oriented, we have an important place in the domestic market and overseas. With our dynamic team of successful exportation to the international markets.

We have ISO 9001-2015 quality certification, The European Vehicle Type Approval Certificate, TSE service qualification certificate, TSE after-sales service qualification certificate. We have been enrolled with our quality.





VEGA  **TRAILER**





1 AXLE VEGA-ONE

TRUCK CARRIER

CODE
VG-145

TECHNICAL SPECIFICATION



1 AXLE VEGA-ONE

TRUCK CARRIER



CODE: VG-145

TECHNICAL SPECIFICATION

Total Length	12600 mm +1300 mm Rear Extension
Width	2550 mm
Capacity	2-unit Trucks - 2-unit Cars
Axle	9/11/12 Tons of Drum Brake axle capacity, Local / SAF / BPW brand axles.
Suspension System	Pneumatic (Air Suspension)
Tyre and Rim	4+1 Units, 245 70 R 17,5 or 235 75 R 17,5
Brake System	EBS brake system (Wabco/Knorr Bremse)
Electric System	Aspöck
8 Ton Winch is installed on Front (Option)	
100% Galvanized (All components are galvanized)	
Side Color	Up to Customer choice



1 AXLE ARLA

TRUCK CARRIER

CODE
VG-135

TECHNICAL SPECIFICATION
> > > > > > >

1 AXLE ARLA

TRUCK CARRIER



CODE: VG-135

TECHNICAL SPECIFICATION

Total Length	12600 mm
Width	2550 mm
Capacity	1-unit Trucks - 2-unit Cars
Axle	9/11/12 Tons of Drum Brake axle capacity, Local / SAF / BPW brand axles.
Suspension System	Pneumatic (Air Suspension)
Tyre and Rim	4+1 Units, 245 70 R 17,5 or 235 75 R 17.5
Brake System	EBS brake system (Wabco/Knorr Bremse)
Electric System	Aspöck
8 Ton Winch is installed on Front (Option)	
100% Galvanized (All components are galvanized)	
Side Color	Up to Customer choice



2 AXLE ARLA

TRUCK CARRIER

CODE
VG-235

TECHNICAL SPECIFICATION
> > > > > > >

2 AXLE ARLA

TRUCK CARRIER



CODE: VG-235

TECHNICAL SPECIFICATION

Total Length	13600 mm
Width	2550 mm
Axle	9/11/12 Tons of Drum Brake axle capacity, Local / SAF / BPW brand axles.
Suspension System	Pneumatic (Air Suspension)
Tyre and Rim	8+1 Unit 245 70 R 17,5 or 235 75 R 17.5 or 215/ 75 R 17.5
Brake System	EBS brake system (Wabco)
Electric System	Aspöck - Saba
7.8 Ton Winch can be used under the gooseneck (Option)	
5 Ton Winch is used on Rear (Option)	
Aluminum Rims: (Option)	
100% Galvanized (Option)	
Side Color	Up to Customer choice



2 AXLE VEGA-S

TRUCK CARRIER

CODE
VG-220

TECHNICAL SPECIFICATION



2 AXLE VEGA-S

TRUCK CARRIER



CODE: VG-220

TECHNICAL SPECIFICATION

Total Length	13600 mm+3000 mm Middle+ 1300 mm Rear Extension
Width	2550 mm
Axle	9/11/12 Tons of Drum Brake axle capacity, Local / SAF / BPW brand axles.
Suspension System	Pneumatic (Air Suspension)
Tyre and Rim	8+1 Unit 245 70 R 17,5 or 235 75 R 17.5 or 215/ 75 R 17.5
Brake System	EBS brake system (Wabco)
Electric System	Aspöck – Saba
7.8 Ton Winch is used on Front (Option)	
5 Ton Winch is used on Rear (Option)	
Aluminum Rims: (Option)	
100% Galvanized (Option)	
Side Color	Up to Customer choice



2 AXLE VEGA-FIX

TRUCK CARRIER


CODE
VG-210

TECHNICAL SPECIFICATION



2 AXLE VEGA-FIX

TRUCK CARRIER




CODE: VG-210

TECHNICAL SPECIFICATION

Total Length	13600 mm + 1300 mm Rear Extension
Width	2550 mm
Axle	9/11/12 Tons of Drum Brake axle capacity, Local / SAF / BPW brand axles.
Suspension System	Pneumatic (Air Suspension)
Tyre and Rim	8+1 Unit 245 70 R 17,5 or 235 75 R 17.5 or 215 75 R 17.5
Brake System	EBS brake system (Wabco)
Electric System	Aspöck - Saba
7.8 Ton Winch is used on Front (Option)	
5 Ton Winch is used on Rear (Option)	
Aluminum Rims: (Option)	
Paint or 100% Galvanized (Option)	
Side Color	Up to Customer choice



2 AXLE VEGA-MAX

TRUCK CARRIER

CODE
VG-240


TECHNICAL SPECIFICATION



2 AXLE VEGA-MAX TRUCK CARRIER



2 AXLE VEGA-MAX TRUCK CARRIER



2 AXLE VEGA-MAX

TRUCK CARRIER



CODE: VG-240

TECHNICAL SPECIFICATION

Total Length	13600 mm+3000 mm Middle+ 1300 mm Extension
Width	2550 mm
Axle	9/11/12 Tons of Drum Brake axle capacity, Local / SAF / BPW brand axles.
Suspension System	Pneumatic (Air Suspension)
Tyre and Rim	8+1 Unit 245 70 R 17,5 or 235 75 R 17.5 or 215/ 75 R 17.5
Brake System	EBS brake system (Wabco)
Electric System	Aspöck - Saba
7.8 Ton Winch is used on Front	
5 Ton Winch is used on Rear (Option)	
Aluminum Rims: (Option)	
100% Galvanized (Option)	
Side Color	Up to Customer choice



3 AXLE CLASSIC

TRUCK CARRIER

CODE
VG-300

TECHNICAL SPECIFICATION
> > > > > > >

3 AXLE CLASSIC

TRUCK CARRIER



CODE: VG-300

TECHNICAL SPECIFICATION

Total Length	13600 mm+2300 mm Middle + 1300 mm Rear Extension
Width	2550 mm
Capacity	3-unit Trucks - 1-unit Bus – 2 units minibus
Axle	9/11/12 Tons of Drum Brake axle capacity, Local / SAF / BPW brand axles.
Suspension System	Pneumatic (Air Suspension)
Tyre and Rim	12+1 Units, 245 70 R 17,5 or 235 75 R 17.5
Brake System	EBS brake system (Wabco)
Electric System	Aspöck - Saba
7.8 Ton Winch is used on Front (Option)	
Paint or 100% Galvanized	
Side Color	Up to Customer choice



3 AXLE VEGA-3

TRUCK CARRIER

CODE
VG-310

TECHNICAL SPECIFICATION



3 AXLE VEGA-3

TRUCK CARRIER



CODE: VG-310

TECHNICAL SPECIFICATION

Total Length	13600 mm+2300 mm Middle + 1300 mm Rear Extension
Width	2550 mm
Capacity	3-unit Trucks - 1-unit Bus – 2 units minibus
Axle	9/11/12 Tons of Drum Brake axle capacity, Local / SAF / BPW brand axles.
Suspension System	Pneumatic (Air Suspension)
Tyre and Rim	12+1 Units, 245 70 R 17,5 or 235 75 R 17.5
Brake System	EBS brake system (Wabco)
Electric System	Aspöck - Saba
7.8 Ton Winch is used on Front (Option)	
5 Ton Winch is used on Rear (Option)	
Paint or 100% Galvanized	
Side Color	Up to Customer choice



3 AXLE PROMAX

TRUCK CARRIER

CODE
VG-330

TECHNICAL SPECIFICATION



3 AXLE PROMAX

TRUCK CARRIER



3 AXLE PROMAX

TRUCK CARRIER



3 AXLE PROMAX

TRUCK CARRIER



CODE: VG-330

TECHNICAL SPECIFICATION

Total Length	13600 mm+2300 mm Middle + 1300 mm Rear Extension
Width	2550 mm
Capacity	3-unit Trucks - 1-unit Bus – 2 units minibus
Axle	9/11/12 Tons of Drum Brake axle capacity, Local / SAF / BPW brand axles.
Suspension System	Pneumatic (Air Suspension)
Tyre and Rim	12+1 Units, 245 70 R 17,5 or 235 75 R 17.5
Brake System	EBS brake system (Wabco)
Electric System	Aspöck - Saba
7.8 Ton Winch is used on Front (Option)	
5 Ton Winch is used on Rear (Option)	
Aluminum Rims: (Option)	
Paint or 100% Galvanized	
Side Color	Up to Customer choice



3 AXLE ALPHA

TRUCK CARRIER

CODE
VG-320

TECHNICAL SPECIFICATION



3 AXLE ALPHA

TRUCK CARRIER



CODE: VG-320

TECHNICAL SPECIFICATION

Total Length	13600 mm+2300 mm Middle + 1300 mm Rear Extension
Width	2550 mm
Capacity	3-unit Trucks - 1-unit Bus – 2 units minibus
Axle	9/11/12 Tons of Drum Brake axle capacity, Local / SAF / BPW brand axles.
Suspension System	Pneumatic (Air Suspension)
Tyre and Rim	12+1 Units, 245 70 R 17,5 or 235 75 R 17.5
Brake System	EBS brake system (Wabco)
Electric System	Aspöck - Saba
7.8 Ton Winch is used on Front	
Paint or 100% Galvanized	
Side Color	Up to Customer choice



3 AXLE ALPHAMAX

TRUCK CARRIER

CODE
VG-340

TECHNICAL SPECIFICATION



3 AXLE ALPHAMAX

TRUCK CARRIER



CODE: VG-340

TECHNICAL SPECIFICATION

Total Length	13600 mm+2300 mm Middle + 1300 mm Rear Extension
Width	2550 mm
Capacity	3-unit Trucks - 1-unit Bus – 2 units minibus
Axle	9/11/12 Tons of Drum Brake axle capacity, Local / SAF / BPW brand axles.
Suspension System	Pneumatic (Air Suspension)
Tyre and Rim	12+1 Units, 245 70 R 17,5 or 235 75 R 17.5
Brake System	EBS brake system (Wabco)
Electric System	Aspöck - Saba
7.8 Ton Winch is used on Front (Option)	
5 Ton Winch is used on Rear (Option)	
Aluminum Rims: (Option)	
100% Galvanized	
Side Color	Up to Customer choice



3 AXLE PROLINE

TRUCK CARRIER

CODE
VG-360

TECHNICAL SPECIFICATION



3 AXLE PROLINE

TRUCK CARRIER



CODE: VG-360

TECHNICAL SPECIFICATION

Total Length	13600 mm+2300 mm Middle + 1300 mm Rear Extension
Width	2550 mm
Capacity	3-unit Trucks - 1-unit Bus – 2 units minibus
Axle	9/11/12 Tons of Drum Brake axle capacity, Local / SAF / BPW brand axles.
Suspension System	Pneumatic (Air Suspension)
Tyre and Rim	12+1 Units, 245 70 R 17,5 or 235 75 R 17.5
Brake System	EBS brake system (Wabco)
Electric System	Aspöck
100% Galvanized (All Steel components)	
7.8 Ton Winch is used on Front (Option)	
5 Ton Winch is used on Rear (Option)	
Aluminum Rims: (Option)	
Side Color	Up to Customer choice



3 AXLE ROYALMAX

TRUCK CARRIER

CODE
VG-350

TECHNICAL SPECIFICATION



3 AXLE ROYALMAX

TRUCK CARRIER



CODE: VG-350

TECHNICAL SPECIFICATION

Total Length	13600 mm+2300 mm Middle + 1300 mm Rear Extension
Width	2550 mm
Capacity	3-unit Trucks - 1-unit Bus – 2 units minibus
Axle	9/11/12 Tons of Drum Brake axle capacity, Local / SAF / BPW brand axles.
Suspension System	Pneumatic (Air Suspension)
Tyre and Rim	12+1 Units, 245 70 R 17,5 or 235 75 R 17.5
Brake System	EBS brake system (Wabco)
Electric System	Aspöck
100% Galvanized (All Steel components)	
7.8 Ton Winch is used on Front (Option)	
5 Ton Winch is used on Rear (Option)	
Aluminum Rims: (Option)	
Side Color	Up to Customer choice

VEGA  **TRAILER**

VEGA TRAILER

VEGA TRAILER MAKİNA DIŐ. TİC. LTD. ŐTİ.

Orhaniye Mahallesi 2040. Sk. No: 12
Kahramankazan - Ankara / TÜRKiYE

+90 (312) 354 12 42  www.vegatrailer.com

+90 (530) 547 90 40  info@vegatrailer.com